



IN PARTNERSHIP WITH:  
**CNRS**

**Université Claude Bernard  
(Lyon 1)**

**Ecole normale supérieure de  
Lyon**

Activity Report 2011

**Project-Team NUMED**

Numerical Medicine

RESEARCH CENTER  
**Grenoble - Rhône-Alpes**

THEME  
**Observation, Modeling, and Control  
for Life Sciences**



## Table of contents

<b>1. Members</b>	<b>1</b>
<b>2. Overall Objectives</b>	<b>1</b>
<b>3. Scientific Foundations</b>	<b>1</b>
3.1. Multiscale modeling and computations	1
3.1.1. Spatial complexity: collective motion of cells	1
3.1.2. Modeling of spontaneous cell polarization	3
3.1.3. Polymerization-fragmentation processes	5
3.1.4. Complex rheology	5
3.2. Parametrization of complex systems	6
<b>4. Application Domains</b>	<b>6</b>
4.1. Stroke	6
4.1.1. Inflammation modelling	6
4.1.2. Free radicals	6
4.1.3. Ionic motions	6
4.1.4. Spreading depression	6
4.1.5. Apoptosis during stroke	8
4.2. Oncology	8
4.2.1. Tumor growth in mice	8
4.2.2. Radioresistance	8
4.3. Virology	9
4.4. Prion.	9
4.5. Atheroma	10
<b>5. Software</b>	<b>10</b>
5.1. Zebre	10
5.2. OptimChemo	10
<b>6. Contracts and Grants with Industry</b>	<b>10</b>
6.1. Etoile Projet	10
6.2. Vaccine design	10
6.3. ANR Modpol "cell polarization modeling"	10
6.4. ANR "Bimbo"	10
6.5. ANR "Sechelles"	11
6.6. Weizmann Institute	11
<b>7. Dissemination</b>	<b>11</b>
<b>8. Bibliography</b>	<b>11</b>



# Project-Team NUMED

**Keywords:** Numerical Methods

## 1. Members

### Research Scientists

Emmanuel Grenier [Team leader, Professor (ENSL), HDR]

Paul Vigneaux [Assistant Professor (ENSL)]

Vincent Calvez [Researcher (CNRS)]

Violaine Louvet [Research Ing. (CNRS)]

Thierry Dumont [Research Ing Lyon I]

Benjamin Ribba [Researcher (INRIA)]

Marie-Aimée Dronne [Assistant Professor (Lyon I)]

Branka Bernard [Post doc (Lyon I)]

Séverine Enault [phD student (ENSL)]

Floriane Lignet [phD student (ENSL)]

## 2. Overall Objectives

### 2.1. Overall Objectives

The purpose of Numed is to develop new numerical methods and tools to simulate and parametrize complex systems arising in biology and medicine. Numed focuses on two axes:

- numerical methods for complex systems with several time and spatial scales. In particular: numerical simulations in complex domains, stiff reaction diffusions equations, multifluids systems, cell migration models, cell compressibility models, complex cancer models analysis.
- parametrization of complex systems using nonlinear mixed effect methods and populationnal pharmacokinetic pharmacodynamics models, with applications in oncology and virology.

Numed investigates two main applications

- Stroke: models of brain stroke (ionic exchanges, inflammation, free radicals, ...)
- Cancer: local invasion, angiogenesis, parametrization, glioma modeling.

and a few other subjects (models of prion, motion of cells, vaccine,...).

## 3. Scientific Foundations

### 3.1. Multiscale modeling and computations

#### 3.1.1. *Spatial complexity: collective motion of cells*

The collective motion of cells (bacteria on a gel or endothelial cells during angiogenesis) is a fascinating subject, that involves a combination of random walk and chemotaxis. The modeling of these problems is still active, since the pioneering works of Keller and Segel, and the mathematical study of the arising equations is a very active area of research.

Vincent Calvez focuses its effort on the following questions:

- Mathematical analysis of the Keller-Segel model

[In collaboration with J.A. Carrillo and J. Rosado (UAB, Barcelona)]

Following McCann 1997 and Otto 2001, we interpret the classical Keller-Segel system for chemotaxis as a gradient flow in the Wasserstein space. The free-energy functional turns out to be homogeneous. This viewpoint helps to understand better blow-up mechanisms, and to derive rates of convergence towards self-similar profiles. We investigate more precisely linear diffusion, porous medium diffusion and fast diffusion in competition with various interaction kernels.

[In collaboration with N. Meunier (Paris 5) and R. Voituriez (Paris 6)]

Another project consists in analyzing some variant of the Keller-Segel system when the chemoattractant is secreted at the boundary of the domain. This is motivated by modeling issues in cell polarization.

- Kinetic models for bacterial collective motion




Figure 1. Bacterial waves traveling in a narrow channel (experiments) (Figure from the PhD thesis of J. Saragosti, Institut Curie 2010).

We have investigated kinetic models for bacterial chemotaxis following Alt and co-authors, Erban and Othmer, Dolak and Schmeiser.

We have developed a quantitative approach based on a couple of experiments performed by J. Saragosti in the team of A. Buguin and P. Silberzan (Institut Curie, Paris). These experiments describe with full statistical details solitary waves of bacteria *E. coli* in narrow channels. On the first set of experiments we have demonstrated that the drift-diffusion approximation of the kinetic model is valid and it fits the data very well (publication in PLoS Comput. Biol. 2010). On the second set of experiments (Fig. 1) we have simulated the kinetic model to obtain the best results as compared to the data (Fig. 2) (publication in PNAS 2011). Interestingly enough, the collaboration has led to the




Figure 2. (left) Numerical simulation of a traveling pulse obtained with the kinetic model (right) Comparison between the bacteria density measured experimentally (blue dots) and the density computed from the kinetic model.

first experimental evidence of directional persistence of *E. coli* (the deviation angle after tumbling is smaller when the trajectory before tumbling goes in a favorable direction). We have demonstrated that this "microscopic effect" has a significant macroscopic influence on the solitary wave (+30% for the speed of the wave).

Based on these encouraging results, we have started a synthetic analysis of hyperbolic equations for chemotaxis and traveling waves.

In collaboration with Ch. Schmeiser (Univ. Vienna) we have investigated a simple (linear) kinetic equation for bacterial chemotaxis. We have obtained the existence of a stationary cluster (stable density distribution). We aim at applying the hypocoercivity results of Dolbeault-Mouhot-Schmeiser to derive a quantitative speed of relaxation towards the stable configuration. This work is under finalization.

In collaboration with N. Bournaveas (Univ. Edinburgh), C. di Russo (Univ. Lyon 1) and M. Ribot (Univ. Nice Sophia-Antipolis) we are studying hyperbolic models for cell motion. We improve the results obtained by Natalini-di Russo. These models are preliminary models which are to be complexified in order to describe growth of biofilms. This work is under progress.

In collaboration with E. Bouin and G. Nadin, we are analysing traveling waves arising in kinetic-growth equations. Namely, we study the coupling between a simple kinetic BGK operator (relaxation towards a given Maxwellian) and a logistic growth term. We have improved earlier results by Gallay-Raugel and Fedotov concerning the one-dimensional case with only two velocities. This work has been submitted. We continue the analysis with the full BGK operator. Counter-intuitive results have to be investigated further.

### 3.1.2. Modeling of spontaneous cell polarization

We have analysed recent models describing spontaneous polarization of cells (e.g. neuron growth cones or budding yeast). These models combine a diffusive term (in the cytoplasm) plus an advective field created at the membrane and diffusing in the cytoplasm (accounting for the actin network or the microtubules). This can be compared to the classical Keller-Segel model where diffusion competes with a non-local attractive field. Going beyond linear stability analysis we have used our know-how of the Keller-Segel system to derive global existence (no polarization) and blow-up (possibly polarization) criteria. We have also performed some numerical experiments to determine the models which exhibit spontaneous polarization. We have confirmed




Figure 3. 2D numerical simulations of cell polarization on a round shaped cell. (Top) The actin network carries the attractive field: polarization occurs. (Bottom) The microtubules carry the attractive field: we observe no polarization. (Work in progress; simulations are done with FreeFEM++)



the prediction made by the physicists claiming that the microtubules cannot drive the cell into spontaneous polarization whereas the actin network can (Fig. 3).

Preliminary results have been published in CRAS 2010 and SIAM J. Appl. Math (in press). We continue this project towards comparison with experimental data obtained in Matthieu Piel's lab at Institut Curie. A secondary goal consists in deriving a mechanistic model for the growth of the fission yeast *Pombe*. This is an ongoing work with A. Boudaoud (ENS de Lyon), N. Meunier (Univ. Paris 5), M. Piel (Institut Curie), P. Vigneaux (ENS de Lyon) and R. Voituriez (Univ. Paris 6). This is part of an ANR project JCJC, named "MODPOL" (Jan. 2012 – Dec. 2014). The project is coordinated by V. Calvez. It involves Th. Lepoutre (INRIA Dracula), N. Meunier (Univ. Paris 5), M. Piel (Institut Curie), P. Vigneaux (ENS de Lyon) and R. Voituriez (Univ. Paris 6).

### 3.1.3. Polymerization-fragmentation processes




Figure 4. Dynamics of trajectories of the control system projected on the simplex. (left) Remarkable sets in the simplex: the line of eigenvectors parametrized by the control parameter, and the small "ergodic" set. (middle) All trajectories eventually enter the ergodic set. (right) We prove a tunnelling effect: all trajectories are confined in a neighbourhood of the ergodic set, and moves towards it.

In collaboration with M. Doumic (INRIA Bang) and P. Gabriel (INRIA Beagle) we have studied the behaviour of the eigenvalue problem for genuine growth-fragmentation equations. We have focused on the dependence of the couple eigenvalue-eigenvector with respect to the growth and fragmentation coefficients. We have mainly used blowing-techniques and asymptotic estimates. We have shown counter-intuitive (non-monotonic) dependence. We have also discussed the possible consequences on applications.

Together with P. Gabriel (INRIA Beagle) we are investigating the optimal control problem for a baby polymerization-fragmentation process mimicking the controlled growth of PrPres (prion) polymers. It consists in a three compartments system (small, intermediate and large polymers) with linear transitions between the compartments. We have a single control parameter acting on the fragmentation process.

We first assume that the control parameter has to be chosen constant. Under certain conditions, there is a best possible choice with infinite-time horizon. It maximizes the exponential growth by optimizing the eigenvalue of the polymerization-fragmentation matrix.

When we relax the condition of constant control, we have to deal with an optimal control problem. It can be translated into a Hamilton-Jacobi-Bellman equation. Although it is a very degenerated case, we can prove existence and uniqueness of an infinite-horizon eigenvalue, as in the constant case. We use the notion of ergodic set introduced by Arisawa-Lions (1998). The success of the proof relies on refined analysis of the dynamics of close-to-optimal trajectories projected on the simplex (Fig. 4). This work is under finalization.

### 3.1.4. Complex rheology

To investigate the growth of a tumor it is crucial to have a correct description of its mechanical aspects. Tumoral and normal cells may be seen as a complex fluid, with complex rheology.

Numerical investigations of complex flows is studied by P. Vigneaux who develops new numerical schemes for Bingham type flows.

### 3.2. Parametrization of complex systems

The parametrization of complex systems in order to fit experimental results or to have a good qualitative behavior is a delicate issue since it requires to simulate the complex systems for a large number of sets of parameters, which is very expensive.

Currently Numed team tries to develop strategies of "precomputation" of complex models to speed up the parametrization process.

## 4. Application Domains

### 4.1. Stroke

Stroke is a very complex pathology, involving many different time scales and phenomena. Numed is currently developing various models to describe some important aspects of stroke.

#### 4.1.1. Inflammation modelling

MA Dronne has designed a first model of inflammation at cellular level, based on ordinary differential equations. To take into account spatial phenomena, a first partial differential equation based model is under study. Together with Taissia Lelekov Boissard (post doc of the ANR contract "AVC in silico"), they tried to find biological data to parametrize these models, and to build a basis of qualitative facts that must be reproduced by the model.

MA Dronne has also developed a collaboration with the Mario Negri institute (Milano) through the team "inflammation and nervous system diseases" (MG de Simoni). This team currently runs in vivo experiments in rodent that should provide new data to investigate the temporal evolution of various variables of the model.

The study and validation of these two models of inflammation will continue with the study of in silico experiments which will simulate the action of various anti-inflammatory drugs, acting at various levels of the inflammatory reaction, work in common with biologists (INSERM 842, neurooncologie et neuroinflammation, Lyon), with clinicians (Creatis, Umr 5515, Inserm U 630 Lyon).

#### 4.1.2. Free radicals

A first model of free radical synthesis has been initiated by V. Lemesle (post doc of ANR AVC in silico). This model is under development with P. Vigneaux. A collaboration begins with Michel Plotkine (EA 2510 pharmacology of cerebral blood flow, Paris 5 university) to get experimental data on the temporal evolution of the various variables of the model.

This model will be used to manage in silico experiments in order to study the effects of various drugs.

#### 4.1.3. Ionic motions

A mechanistic model of ionic motions has already been developed, studied and validated to study in silico the dual role of astrocytes during ischemia, and to study the effect of various ionic channels blockers in man and rodent.

This model is now used to study in silico the effect of the combination of several neuroprotectors acting on ionic channels, transporters or receptors. This work should help to understand antagonist or synergic effects of blockers.

#### 4.1.4. Spreading depression

Spreading depressions are propagative waves which travel in brain during ischemia and which may have a major role in the extension of the ischemic core. Currently 3D computations in real geometry are run to study their speed and the role of brain anatomy in their propagation.




Figure 5. An example of a pdf map reconstructed by using geometrical methods in detecting landmarks

#### 4.1.5. Apoptosis during stroke

A collaboration has begun with Christiane Charriaut Marlangue (INSERM U676, Hopital Robert Debré) to study the apoptotic cascade during stroke.

### 4.2. Oncology

#### 4.2.1. Tumor growth in mice

Through a collaboration with University of Lyon and Lyon-Sud Hospital, we setup several mechanistic models to predict the evolution of tumor growth in mice including the complex biological process of angiogenesis. This work was presented at the eighteen PAGE (population approach group in Europe) meeting in Saint-Petersburg in June.




Figure 6. Modeling tumor growth in mice

#### 4.2.2. Radioresistance

Within the framework of the project ETOILE, B. Bernard is part of the team that is building a predictive model of tumor responses to the conventional treatment and irradiation with carbon ions. During 2009, Branka has

been working under supervision of Jean-Pierre Boissel and Benjamin Ribba. In collaboration with the group of Claire Rodriguez-Lafrasse (Radiobiology group, Hospital Lyon Sud), her research activities included the analysis of microarray data from different head and neck cancer cell lines, irradiated with X-ray and carbon ions. They detected differences in the irradiation response of different cancer cell lines that underlie their different radiosensitivities. Within GRAAL project, a lot of radiobiological information will be acquired on a several glioma cell lines and cell lines representing healthy brain tissue. Therefore, our interest is to model the dynamics of the glioma tumor growth and its response to radiation therapy. At the moment, we are working on the estimation of parameters describing tumor growth and diffusion from the MRI images of glioblastoma patients (collaboration with Francois Ducray).

### 4.3. Virology

In collaboration with Merial SA and Edouard Heriot Hospital in Lyon, B. Ribba develops mathematical models to describe the dynamic of Feline immunodeficiency virus (FIV) in infected cats. A translational approach is developed in the context of parameter estimation for complex biologically-based model. He intensively uses mixed-effect modeling approaches and its SAEM algorithm implementation in MONOLIX (INRIA Saclay).




Figure 7. Model of FIV

### 4.4. Prion.

[In collaboration with M. Doumic (INRIA Rocq.), P. Gabriel and B. Perthame (Paris 6) – ANR TOPPAZ]

We study mathematically and numerically the polymerization/fragmentation equation involved in prion aggregation. We have investigated first the case of a size-dependent polymerization rate motivated by recent experiments. We now focus on some issue in optimization of protocol. This is closely related to recent challenges in fitness optimization, and optimal control.

## 4.5. Atheroma

[In collaboration with N. Meunier (Paris 5)]

Following El Khatib et al. (2007) we have proposed a mathematical model for the inflammatory processes driving the growth of early atherosclerotic plaques. This model is coupled with blood flow, with particular emphasis on the influence of shear stress.

## 5. Software

### 5.1. Zebre

**Participant:** Thierry Dumont [correspondant].

Thierry Dumont is currently developping a toolbox to solve stiff reaction diffusion equations using splitting methods, together with refined numerical schemes for ODEs (RADO 5).

### 5.2. OptimChemo

**Participants:** Violaine Louvet [correspondant], Emmanuel Grenier.

OptimChemo is a userfriendly software designed to study numerically the effect of multiple chemotherapies on simple models of tumour growth and to optimize chemotherapy schedules.

## 6. Contracts and Grants with Industry

### 6.1. Etoile Projet

**Participants:** Benjamin Ribba, Branka Bernard.

Etoile is a research consortium on hadrontherapy. B. Ribba is responsible for the modeling part and focuses on the study tumor growth models.

### 6.2. Vaccine design

**Participants:** Vincent Calvez, Benjamin Ribba, Emmanuel Grenier.

One year industrial contract with Sanofi, on vaccine design.

### 6.3. ANR Modpol "cell polarization modeling

**Participants:** Vincent Calvez, Paul Vigneaux.

Three years ANR young researcher contract, on the modeling of cellular polarization, with T. Lepoutre (INRIA Dracula), N. Meunier (Paris 5), M. Piel (Institut Curie) and R. Voituriez (Paris 6).

### 6.4. ANR "Bimbo"

**Participants:** Marie-Aimée Dronne, Thierry Dumont, Emmanuel Grenier.

The "Bimbo" ANR project (head: F. Gueyffier, Lyon I) is devoted to the study of atheroma. Numed members has the task to help to parametrize the various models which will emerge from this project.

## 6.5. ANR "Sechelles"

**Participants:** Violaine Louvet, Thierry Dumont.

The "Sechelles" ANR project (head: S. Descombes, Nice) is devoted to new numerical methods and scheme for stiff reaction diffusions equations, in particular strokes simulation. Numed members has the task to develop the associated software in order to have efficient tools (in particular, parallel software) for this simulations.

## 6.6. Weizmann Institute

**Participants:** Benjamin Ribba, Floriane Lignet.

B. Ribba is involved in the PhD direction of Floriane Lignet (MSc) on the modeling of in vivo tumor growth data from the Weizmann Institute of Science (on-going collaboration with Prof. Yossi Yarden, dept Biological Regulation).

## 7. Dissemination

### 7.1. Teaching

V. Calvez and E. Grenier regularly teach partial differential equations and complex system modeling and parametrization at ENSL and Lyon I University (L3, M1, M2 lectures).

## 8. Bibliography

### Publications of the year

#### Articles in International Peer-Reviewed Journal

- [1] V. CALVEZ, J. CARRILLO. *Refined asymptotics for the subcritical Keller-Segel system and related functional inequalities*, in "Proc. Amer. Math. Soc.", 2011, in press.
- [2] V. CALVEZ, M. DOUMIC, P. GABRIEL. *Self-similarity in a General Aggregation-Fragmentation Problem. Application to Fitness Analysis*, in "J. Math. Pures Appl.", 2011, in press.
- [3] V. CALVEZ, R. HAWKINS, N. MEUNIER, R. VOITURIEZ. *Analysis of a non local model for spontaneous cell polarisation*, in "SIAM J. App. Math.", 2011, in press.
- [4] S. DESCOMBES, M. DUARTE, T. DUMONT, V. LOUVET, M. MASSOT. *Adaptive time splitting method for multi-scale evolutionary partial differential equations*, in "Confluentes Mathematici", 2011.
- [5] M. DUARTE, M. MASSOT, S. DESCOMBES, C. TENAUD, T. DUMONT, V. LOUVET, F. LAURENT. *New resolution strategy for multi-scale reaction waves using time operator splitting, space adaptive multiresolution and dedicated high order implicit/explicit time integrators*, in "SIAM Journal of Scientific Computing", 2011.
- [6] J. SARAGOSTI, V. CALVEZ, N. BOURNAVEAS, B. PERTHAME, A. BUGUIN, P. SILBERZAN. *Directional persistence of chemotactic bacteria in a traveling concentration wave*, in "PNAS", 2011.

#### International Conferences with Proceedings

- [7] D. BRESCH, E. FERNANDEZ-NIETO, I. IONESCU, P. VIGNEAUX. *Augmented lagrangian / well - balanced finite volume method for compressible viscoplastic flows*, in "Proceedings of the Sixth International Conference on Computational Fluid Dynamics, ICCFD6", St-Petersburg, Russia, A. KUZMIN (editor), Springer, 12-16 July 2010 2011.